

FIG. 1A




FIG. 1B

with sPUK




FIG. 2A

Applicant(s): Victor Gurewich et al.


METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS

FIG. 2B

Applicant(s): Victor Gurewich et al.


METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS

FIG. 2C

BEST AVAILABLE COPY

Applicant(s): Victor Gurewich et al.

METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS

Clot Lysis (04/10)




FIG. 2D

BEST AVAILABLE COPY

Applicant(s): Victor Gurewich et al.

METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS

Plasminogen Remaining
(duplicate clots)




FIG. 2E

BEST AVAILABLE COPY

Applicant(s): Victor Gurewich et al.

METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS

Fibrinogen Remaining
(duplicate clots)




FIG. 2F

BEST AVAILABLE COPY

Clot Lysis in Dogs




FIG. 3

Bleeding Time Before and During Clot Lysis in Dogs




FIG. 4

Total Bleeding During Clot Lysis in Dogs




FIG. 5

Applicant(s): Victor Gurewich et al.




METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS

FIG. 6

BEST AVAILABLE COPY

Applicant(s): Victor Gurewich et al.

**METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS**



BEST AVAILABLE COPY

Applicant(s): Victor Gurewich et al.


METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS

FIG. 9

BEST AVAILABLE COPY

Applicant(s): Victor Gurewich et al.
METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS





FIG. 10

BEST AVAILABLE COPY



Construction of pET29-uPA_(MS) expression plasmid

FIG. 11

Applicant(s): Victor Gurewich et al.



METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS

FIG. 12

BEST AVAILABLE COPY

Zymograms of Time course of formation of inhibitor complexes by the tc-UKs in human plasma

tcM5



<- Time, minutes

C1-Inh complex


AntiThrombin III

(free enzyme)

FIG. 13A

BEST AVAILABLE COPY

tc-u-PA



C1-Inh complex

AntiThrombin III

(free enzyme)

FIG. 13B

Applicant(s): Victor Gurewich et al.

METHODS, DEVICES, AND COMPOSITIONS FOR LYSIS OF
OCCLUSIVE BLOOD CLOTS WHILE SPARING WOUND
SEALING CLOTS

M5 & TPA Treated Average % CL




FIG. 14A

—♦— % Clot Lysis M 5 —■— % Clot Lysis TPA

BEST AVAILABLE COPY

M5 & TPA Flow Averages




FIG. 14B

—♦— M5 —■— TPA — Linear (M5) — Linear (TPA)